



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Organization of:

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021

*and hereby declares that the Organization is accredited in accordance with
the recognized International Standard:*

ISO/IEC 17025:2017

Whereby, technical competence has been confirmed for the associated scope supplement, in the fields of:

Electrical Testing
(As detailed in the supplement)

Accreditation claims for conformity assessment activities shall only be made from the addresses referenced within this certificate and shall apply solely to those activities identified in the related scope. This Accreditation is granted subject to the Accreditation Body rules governing the Accreditation referred to above, and the Organization hereby commits to observing and complying with those rules in their entirety.

For PJLA:

Tracy Szerszen
President

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

Initial Accreditation Date:

January 10, 2023

Revision Date:

May 05, 2026

Issue Date:

April 08, 2025

Accreditation No.:

120144

Expiration Date:

July 31, 2027

Certificate No.:

L25-283-R1

*The validity of this certificate is maintained through ongoing assessments based
on a continuous accreditation cycle. The validity of this certificate should be
confirmed through the PJLA website: www.pjlab.com*



Certificate of Accreditation: Supplement

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021
Contact Name: Giorgio Lovisetto Phone: 041-595-1122

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Luminaires	Marking	IEC 60598-1:cap. 6 Luminaires – part.1: general requirements and test IEC 60598-2-1:cap 1.6 – Part 2-1: Particular requirements – fixed general purpose luminaires IEC 60598-2-2:cap 2.6 – Part 2-2: Particular requirements – Recessed luminaires IEC 60598-2-4:cap 4.6 – Part 2-4: Particular requirements – Portable general purpose luminaires IEC 60598-2-8:cap 8.6 – Part 2-8: Particular requirements – Handlamps IEC 60598-2-11: cap 11.6 – Part 2-11: Particular requirements – Aquarium luminaires IEC 60598-2-13: cap 13.5 – Part 2-13: Particular requirements – Ground recessed luminaires IEC 60598-2-18:cap 18.6 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications IEC 60598-2-20: cap 20.6 – Part 2-20: Particular requirements – Lighting chains IEC 60598-2-21: cap 21.6 – Part 2-21: Particular requirements – Rope light IEC 60598-2-22:cap 22.6 – Part 2-22: Particular requirements – Luminaire for emergency lighting EN 60598-1: cap. 6 Luminaires – part.1: general requirements and test EN 60598-2-1: cap 1.6 – Part 2-1: Particular requirements – fixed general purpose luminaires EN 60598-2-2 cap2.6 – Part 2-2: Particular requirements – Recessed luminaires EN 60598-2-4 cap 4.6 – Part 2-4: Particular requirements – Portable general purpose luminaires	Visual evaluation + durability of marking test	F1, F2	F



Certificate of Accreditation: Supplement

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021
Contact Name: Giorgio Lovisetto Phone: 041-595-1122

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Luminaires	Marking	EN 60598-2-8 cap 8.6 – Part 2-8: Particular requirements – Handlamps EN 60598-2-11: cap 11.6 – Part 2-11: Particular requirements – Aquarium luminaires EN 60598-2-13 cap 13.5 – Part 2-13: Particular requirements – Ground recessed luminaires EN 60598-2-18 cap 18.6 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications EN 60598-2-20: cap 20.6 – Part 2-20: Particular requirements – Lighting chains EN 60598-2-21: cap 21.6 – Part 2-21: Particular requirements – Rope light EN 60598-2-22 cap 22.6 – Part 2-22: Particular requirements – Luminaire for emergency lighting	Visual evaluation + durability of marking test	F1, F2	F
Electrical	Luminaires	Classification of luminaires	IEC 60598-1:cap. 5 Luminaires – part.1: general requirements and test IEC 60598-2-1:cap 1.5 – Part 2-1: Particular requirements – fixed general purpose luminaires IEC 60598-2-2:cap2.5 – Part 2-2: Particular requirements – Recessed luminaires IEC 60598-2-4:cap 4.5 – Part 2-4: Particular requirements – Portable general purpose luminaires IEC 60598-2-8:cap 8.5 – Part 2-8: Particular requirements – Handlamps IEC 60598-2-11: cap 11.5 – Part 2-11: Particular requirements – Aquarium luminaires IEC 60598-2-13:cap 13.4 – Part 2-13: Particular requirements – Ground recessed luminaires IEC 60598-2-18:cap 18.5 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications	Visual evaluation	F1, F2	F



Certificate of Accreditation: Supplement

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021
Contact Name: Giorgio Lovisetto Phone: 041-595-1122

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Luminaires	Classification of luminaires	IEC 60598-2-20: cap 20.5 – Part 2-20: Particular requirements – Lighting chains IEC 60598-2-21: cap 21.5 – Part 2-21: Particular requirements – Rope light IEC 60598-2-22:cap 22.5 – Part 2-22: Particular requirements – Luminaire for emergency lighting EN 60598-1 cap. 5 Luminaires – part.1: general requirements and test EN 60598-2-1: cap 1.5 – Part 2-1: Particular requirements – fixed general purpose luminaires EN 60598-2-2 cap2.5 – Part 2-2: Particular requirements – Recessed luminaires EN 60598-2-4 cap 4.5 – Part 2-4: Particular requirements – Portable general purpose luminaires EN 60598-2-8 cap 8.5 – Part 2-8: Particular requirements – Handlamps EN 60598-2-11: cap 11.5 – Part 2-11: Particular requirements – Aquarium luminaires EN 60598-2-13 cap 13.4 – Part 2-13: Particular requirements – Ground recessed luminaires EN 60598-2-18 cap 18.5 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications EN 60598-2-20: cap 20.5 – Part 2-20: Particular requirements – Lighting chains EN 60598-2-21: cap 21.5 – Part 2-21: Particular requirements – Rope light EN 60598-2-22 cap 22.5 – Part 2-22: Particular requirements – Luminaire for emergency lighting	Visual evaluation	F1, F2	F



Certificate of Accreditation: Supplement

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021
Contact Name: Giorgio Lovisetto Phone: 041-595-1122

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Luminaires	Provision for earthing	IEC 60598-1:cap. 9.2.3 9.2.5, 9.2.6, 9.2.7, 9.2.8, 9.2.9, 9.2.10, 9.2.11 and 9.1.12 Luminaires – part.1: general requirements and test IEC 60598-2-1:cap 1.9 – Part 2-1: Particular requirements – fixed general purpose luminaires IEC 60598-2-2:cap2.9 – Part 2-2: Particular requirements – Recessed luminaires IEC 60598-2-4:cap 4.9 – Part 2-4: Particular requirements – Portable general purpose luminaires IEC 60598-2-8:cap 8.9 – Part 2-8: Particular requirements – Handlamps IEC 60598-2-11: cap 11.9 – Part 2-11: Particular requirements – Aquarium luminaires IEC 60598-2-13:cap 13.8 – Part 2-13: Particular requirements – Ground recessed luminaires IEC 60598-2-18:cap 18.9 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications IEC 60598-2-20: cap 20.9 – Part 2-20: Particular requirements – Lighting chains IEC 60598-2-21: cap 21.9 – Part 2-21: Particular requirements – Rope light IEC 60598-2-22:cap 22.9 – Part 2-22: Particular requirements – Luminaire for emergency lighting EN 60598-1:cap. 9.2.3 9.2.5, 9.2.6, 9.2.7, 9.2.8, 9.2.9, 9.2.10, – part.1: general requirements and test EN 60598-2-1: cap 1.9 – Part 2-1: Particular requirements – fixed general purpose luminaires EN 60598-2-2 cap2.9 – Part 2-2: Particular requirements – Recessed luminaires EN 60598-2-4 cap 4.9 – Part 2-4: Particular requirements – Portable general purpose luminaires	Visual evaluation + Electrical safety tester – Test 12Vdc 10A	F1, F2	F



Certificate of Accreditation: Supplement

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021
Contact Name: Giorgio Lovisetto Phone: 041-595-1122

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Luminaires	Provision for earthing	EN 60598-2-8 cap 8.9 – Part 2-8: Particular requirements – Handlamps EN 60598-2-11: cap 11.9 – Part 2-11: Particular requirements – Aquarium luminaires EN 60598-2-13 cap 13.8 – Part 2-13: Particular requirements – Ground recessed luminaires EN 60598-2-18 cap 18.9 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications EN 60598-2-20: cap 20.9 – Part 2-20: Particular requirements – Lighting chains EN 60598-2-21: cap 21.9 – Part 2-21: Particular requirements – Rope light EN 60598-2-22 cap 22.9 – Part 2-22: Particular requirements – Luminaire for emergency lighting	Visual evaluation + Electrical safety tester – Test 12Vdc 10A	F1, F2	F
Electrical	Luminaires	Insulation resistance	IEC 60598-1:cap.12.2.2 Luminaires – Part.1: General requirements for test IEC 60598-2-1:cap 1.12 – Part 2-1: Particular requirements – fixed general purpose luminaires IEC 60598-2-2:cap 2.15 – Part 2-2: Particular requirements – Recessed luminaires IEC 60598-2-4:cap 4.15 – Part 2-4: Particular requirements – Portable general purpose luminaires IEC 60598-2-8:cap 8.15 – Part 2-8: Particular requirements – Handlamps IEC 60598-2-11: cap 11.15 – Part 2-11: Particular requirements – Aquarium luminaires IEC 60598-2-13:cap 13.14 – Part 2-13: Particular requirements – Ground recessed luminaires IEC 60598-2-18:cap 18.15 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications	Electrical safety tester + Test 100 Vdc to 500 Vdc	F1, F2	F



Certificate of Accreditation: Supplement

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021
Contact Name: Giorgio Lovisetto Phone: 041-595-1122

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Luminaires	Insulation resistance	IEC 60598-2-20: cap 20.15 – Part 2-20: Particular requirements – Lighting chains IEC 60598-2-21: cap 21.15 – Part 2-21: Particular requirements – Rope light IEC 60598-2-22: cap 22.15 – Part 2-22: Particular requirements – Luminaire for emergency lighting EN 60598-1 cap. 12.2.2 Luminaires – part.1: general requirements and test EN 60598-2-1: cap 1.12 – Part 2-1: Particular requirements – fixed general purpose luminaires EN 60598-2-2 cap 2.15 – Part 2-2: Particular requirements – Recessed luminaires EN 60598-2-4 cap 4.15 – Part 2-4: Particular requirements – Portable general purpose luminaires EN 60598-2-8 cap 8.15 – Part 2-8: Particular requirements – Handlamps EN 60598-2-11: cap 11.15 – Part 2-11: Particular requirements – Aquarium luminaires EN 60598-2-13 cap 13.14 – Part 2-13: Particular requirements – Ground recessed luminaires EN 60598-2-18 cap 18.15 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications EN 60598-2-20: cap 20.15 – Part 2-20: Particular requirements – Lighting chains EN 60598-2-21: cap 21.15 – Part 2-21: Particular requirements – Rope light EN 60598-2-22 cap 22.15 – Part 2-22: Particular requirements – Luminaire for emergency lighting	Electrical safety tester + Test 100 Vdc to 500 Vdc	F1, F2	F



Certificate of Accreditation: Supplement

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021
Contact Name: Giorgio Lovisetto Phone: 041-595-1122

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Luminaires	Electric strength	IEC 60598-1:cap. 12.2.3 Luminaires – Part.1: General requirements for test IEC 60598-2-1:cap 1.12 – Part 2-1: Particular requirements – fixed general purpose luminaires IEC 60598-2-2:cap 2.15 – Part 2-2: Particular requirements – Recessed luminaires IEC 60598-2-4:cap 4.15 – Part 2-4: Particular requirements – Portable general purpose luminaires IEC 60598-2-8:cap 8.15 – Part 2-8: Particular requirements – Handlamps IEC 60598-2-11: cap 11.15 – Part 2-11: Particular requirements – Aquarium luminaires IEC 60598-2-13: cap 13.14 – Part 2-13: Particular requirements – Ground recessed luminaires IEC 60598-2-18:cap 18.15 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications IEC 60598-2-20: cap 20.15 – Part 2-20: Particular requirements – Lighting chains IEC 60598-2-21: cap 21.15 – Part 2-21: Particular requirements – Rope light IEC 60598-2-22:cap 22.15 – Part 2-22: Particular requirements – Luminaire for emergency lighting EN 60598-1 cap. 12.2.3 Luminaires – part.1: general requirements and test EN 60598-2-1: cap 1.12 – Part 2-1: Particular requirements – fixed general purpose luminaires EN 60598-2-2 cap 2.15 – Part 2-2: Particular requirements – Recessed luminaires EN 60598-2-4 cap 4.15 – Part 2-4: Particular requirements – Portable general purpose luminaires	Electrical safety tester + test 500 Vac to 3 000 Vac	F1, F2	F



Certificate of Accreditation: Supplement

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021
Contact Name: Giorgio Lovisetto Phone: 041-595-1122

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Luminaires	Electric strength	EN 60598-2-8 cap 8.15 – Part 2-8: Particular requirements – Handlamps EN 60598-2-11: cap 11.15 – Part 2-11: Particular requirements – Aquarium luminaires EN 60598-2-13 cap 13.14 – Part 2-13: Particular requirements – Ground recessed luminaires EN 60598-2-18 cap 18.15 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications EN 60598-2-20: cap 20.15 – Part 2-20: Particular requirements – Lighting chains EN 60598-2-21: cap 21.15 – Part 2-21: Particular requirements – Rope light EN 60598-2-22 cap 22.15 – Part 2-22: Particular requirements – Luminaire for emergency lighting	Electrical safety tester + test 500 Vac to 3 000 Vac	F1, F2	F
Electrical	Luminaires	Thermal test (normal operation)	IEC 60598-1: cap 14.2 and 14.4 Luminaires – Part.1: General requirements for test IEC 60598-2-1:cap 1.14 – Part 2-1: Particular requirements – fixed general purpose luminaires IEC 60598-2-2:cap 2.13 – Part 2-2: Particular requirements – Recessed luminaires IEC 60598-2-4:cap 4.13 – Part 2-4: Particular requirements – Portable general purpose luminaires IEC 60598-2-8:cap 8.13 – Part 2-8: Particular requirements – Handlamps IEC 60598-2-11: cap 11.13 – Part 2-11: Particular requirements – Aquarium luminaires IEC 60598-2-13: cap 13.12 – Part 2-13: Particular requirements – Ground recessed luminaires IEC 60598-2-18:cap 18.13 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications	Climatic cabin (+18 to +30°C) range of measurement +18 °C to +250°C	F1, F2	F



Certificate of Accreditation: Supplement

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021
Contact Name: Giorgio Lovisetto Phone: 041-595-1122

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Luminaires	Thermal test (normal operation)	IEC 60598-2-20: cap 20.13 – Part 2-20: Particular requirements – Lighting chains IEC 60598-2-21: cap 21.13 – Part 2-21: Particular requirements – Rope light IEC 60598-2-22: cap 22.13 – Part 2-22: Particular requirements – Luminaire for emergency lighting EN 60598-1 cap. 14.2 and 14.4 Luminaires – part.1: general requirements and test EN 60598-2-1: cap 1.14 – Part 2-1: Particular requirements – fixed general purpose luminaires EN 60598-2-2 cap 2.13 – Part 2-2: Particular requirements – Recessed luminaires EN 60598-2-4 cap 4.13 – Part 2-4: Particular requirements – Portable general purpose luminaires EN 60598-2-8 cap 8.13 – Part 2-8: Particular requirements – Handlamps EN 60598-2-11: cap 11.13 – Part 2-11: Particular requirements – Aquarium luminaires EN 60598-2-13 cap 13.12 – Part 2-13: Particular requirements – Ground recessed luminaires EN 60598-2-18 cap 18.135 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications EN 60598-2-20: cap 20.13 – Part 2-20: Particular requirements – Lighting chains EN 60598-2-21: cap 21.13 – Part 2-21: Particular requirements – Rope light EN 60598-2-22 cap 22.13 – Part 2-22: Particular requirements – Luminaire for emergency lighting	Climatic cabin (+18 to +30°C) range of measurement +18 °C to +250°C	F1, F2	F



Certificate of Accreditation: Supplement

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021
Contact Name: Giorgio Lovisetto Phone: 041-595-1122

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Luminaires	Construction	IEC 60598-1:cap.7.2, 7.3, 7.6, 7.8, 7.11, 7.16.2, 7.25, 7.30 Luminaires – Part.1: General requirements for test IEC 60598-2-1:cap 1.7 – Part 2-1: Particular requirements – fixed general purpose luminaires IEC 60598-2-2:cap 2.7 – Part 2-2: Particular requirements – Recessed luminaires IEC 60598-2-4:cap 4.7 – Part 2-4: Particular requirements – Portable general purpose luminaires IEC 60598-2-8:cap 8.7 – Part 2-8: Particular requirements – Handlamps IEC 60598-2-11: cap 11.7 – Part 2-11: Particular requirements – Aquarium luminaires IEC 60598-2-13:cap 13.6 – Part 2-13: Particular requirements – Ground recessed luminaires IEC 60598-2-18:cap 18.7 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications IEC 60598-2-20: cap 20.7 – Part 2-20: Particular requirements – Lighting chains IEC 60598-2-21: cap 21.7 – Part 2-21: Particular requirements – Rope light IEC 60598-2-22:cap 22.7 – Part 2-22: Particular requirements – Luminaire for emergency lighting EN 60598-1 cap. 7.2, 7.3, 7.6, 7.8, 7.11, 7.16.2, 7.25, 7.30 Luminaires – part.1: general requirements and test EN 60598-2-1: cap 1.7 – Part 2-1: Particular requirements – fixed general purpose luminaires EN 60598-2-2 cap 2.7 – Part 2-2: Particular requirements – Recessed luminaires EN 60598-2-4 cap 4.7 – Part 2-4: Particular requirements – Portable general purpose luminaires	Visual evaluation	F1, F2	F



Certificate of Accreditation: Supplement

First group S.a.s.

Via Raffaello 29, Mogliano Veneto (TV), Italy 31021
Contact Name: Giorgio Lovisetto Phone: 041-595-1122

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Luminaires	Construction	EN 60598-2-8 cap 8.7 – Part 2-8: Particular requirements – Handlamps EN 60598-2-11: cap 11.7 – Part 2-11: Particular requirements – Aquarium luminaires EN 60598-2-13 cap 13.6 – Part 2-13: Particular requirements – Ground recessed luminaires EN 60598-2-18 cap 18.7 – Part 2-18: Particular requirements – Luminaire for swimming pool and similar applications EN 60598-2-20: cap 20.7 – Part 2-20: Particular requirements – Lighting chains EN 60598-2-21: cap 21.7 – Part 2-21: Particular requirements – Rope light EN 60598-2-22 cap 22.7 – Part 2-22: Particular requirements – Luminaire for emergency lighting	Visual evaluation	F1, F2	F

1. Location of activity:

Location

F

Location

Conformity assessment activity is performed at the CABs fixed facility

2. Flex Code:

- F0- Fixed scope item. No deviations allowed to the line item as identified, except for updating to the most recent version of an accredited standard method after verification.
F1- Laboratory has the capability to test a new item, material, matrix, or product similar in composition to item, material, matrix, or product identified on the scope
F2- Laboratory has the capability to introduce the newest revision of an accredited authoritative standard method (with no modifications) identified on the scope
F3- Laboratory has the capability to introduce a parameter/component/analyte to an accredited test method identified on the scope
F4- Laboratory has the capability to introduce a new revision of an accredited non-standard method using the same technology or technique identified on the scope
F5- Laboratory has the capability to introduce a validated method that is equivalent to an accredited method (using same technology or technique) identified on the scope